

In the Claims:

1. (Currently Amended) A manufactured mineral water with the following elemental composition present as biologically acceptable soluble salts:

group A consisting of calcium at a final concentration of between 25 and 82 mg/L and magnesium at a final concentration of between 6 and 18 mg/L,

~~group B consisting of phosphorus at a final concentration of between 15 and 80mg/L, potassium at a final concentration of between 50 and 180 mg/L, silicon at a final concentration of between 0.45 to 1.5 mg/L, sodium at a final concentration of between 3 and 30 mg/L, chlorine at a final concentration of between 3 and 28 mg/L~~
phosphorus at a final concentration of between 20 and 65mg/L, potassium at a final concentration of between 80 and 150 mg/L, silicon at a final concentration of between 0.55 to 1.0 mg/L, sodium at a final concentration of between 5 and 15 mg/L, chlorine at a final concentration of between 5 and 14 mg/L,

group C consisting of boron at a final concentration of between 0 and 60 µg/L, chromium at a final concentration of between 0 and 0.5 µg/L, cobalt at a final concentration of between 0 and 0.5 µg/L, copper at a final concentration of between 0 and 12 µg/L, iodine at a final concentration of between 0 and 6 µg/L, lithium at a final concentration of between 0 and 1.5 µg/L, manganese at a final concentration of between 0 and 1.5 µg/L, molybdenum at a final concentration of between 0 and 1.5 µg/L, nickel at a final concentration of between 0 and 0.5 µg/L, selenium at a final concentration of between 0 and 100 µg/L, tin at a final concentration of between 0 and 1.5 µg/L, vanadium at a final concentration of between 0 and 0.1 µg/L and zinc at a final concentration of between 0 and 100 µg/L, and

group D consisting of iron at a final concentration of between 0 and 20 µg/L.
~~substantially free of a flavor or sweetener compound, and wherein the mineral water has none of the following taste defects~~

- ~~a) too weak or too strong initial sensation~~
- ~~b) too weak or too strong mouthfeel sensation~~
- ~~c) a palate balance that is neither predominantly front or predominantly back~~
- ~~d) a palate persistence that is neither too extended or that dissipates quickly~~

- ~~e) either too acidic or too alkali~~
- ~~f) an earthy characteristic that is too strong or too weak~~
- ~~g) a saltiness sensation that is too strong or too weak~~
- ~~h) a mineral sensation that is too strong or too weak~~

2. (original) The manufactured mineral water as in claim 1 wherein the pH of the final beverage is adjusted to a final value of between 6.6 to 8.0 for a still water or a final value of between 2.5 to 8.0 for an aerated or carbonated water.

3. (original) The manufactured mineral water as in claim 2 wherein the range of concentrations of the group A elements are as follows, calcium at a final concentration of between 44 and 74 mg/L and magnesium at a final concentration of between 10 and 16 mg/L.

4. (original) The manufactured mineral water as in claim 2 wherein the final concentration of calcium is about 59 mg/L and the final concentration of magnesium is about 13 mg/L.

5. (canceled).

6. (original) The manufactured mineral water as in claim 2 wherein the concentration of the group B elements is as follows; phosphorus at a final concentration of about 30 mg/L, potassium at a final concentration of about 120 mg/L, silicon at a final concentration of about 0.75 mg/L, sodium at a final concentration of about 8 mg/L, and chlorine at a final concentration of about 9 mg/L.

7. (original) The manufactured mineral water as in claim 2 wherein the concentration of the group C elements are as follows; boron at a final concentration of between 10 and 40 µg/L, chromium at a final concentration of between 0.05 and 0.2 µg/L, cobalt at a final concentration of between 0.05 and 0.2 µg/L, copper at a final concentration of between 2 and 9 µg/L, iodine at a final concentration of between 0.4 and 2.5 µg/L, lithium at a final concentration of between 0.1

and 1.0 µg/L, manganese at a final concentration of between 0.1 and 1.0 µg/L, molybdenum at a final concentration of between 0.1 and 1.0 µg/L, nickel at a final concentration of between 0.05 and 0.2 µg/L, selenium at a final concentration of between 10 and 70 µg/L, tin at a final concentration of between 0.1 and 1.0 µg/L, vanadium at a final concentration of between 0.01 and 0.07 µg/L and zinc at a final concentration of between 10 and 70 µg/L.

8. (original) The manufactured mineral water as in claim 2 where the concentration of each group C element is as follows; boron at a final concentration of about 19 µg/L, chromium at a final concentration of about 0.1 µg/L, cobalt at a final concentration of about 0.1 µg/L, copper at a final concentration of about 4.3 µg/L, iodine at a final concentration of about 1.3 µg/L, lithium at a final concentration of about 0.4 µg/L, manganese at a final concentration of about 0.4 µg/L, molybdenum at a final concentration of about 0.5 µg/L, nickel at a final concentration of about 0.1 µg/L, selenium at a final concentration of about 34 µg/L, tin at a final concentration of about 0.4 µg/L, vanadium at a final concentration of about 0.03 µg/L and zinc at a final concentration of about 26 µg/L.

9. (original) The manufactured mineral water as in claim 2 wherein the concentration of the group D element is as follows; iron is at a final concentration of between 2 and 12 µg/L.

10. (original) The manufactured mineral water as in claim 2 wherein iron is present at a final concentration of about 5 µg/L.

11. (original) The manufactured mineral water as in claim 2 wherein calcium is at a final concentration of about 59 mg/L, magnesium is at a final concentration of about 13 mg/L, phosphorus is at a final concentration of about 30 mg/L, potassium is at a final concentration of about 120 mg/L, silicon is at a final concentration of about 0.75 mg/L, sodium is at a final concentration of about 8 mg/L, chlorine is at a final concentration of about 9 mg/L, boron is at a final concentration of about 19 µg/L, chromium is at a final concentration of about 0.1 µg/L,

cobalt is at a final concentration of about 0.1 µg/L, copper is at a final concentration of about 4.3 µg/L, iodine is at a final concentration of about 1.3 µg/L, lithium is at a final concentration of about 0.4 µg/L, manganese is at a final concentration of about 0.4 µg/L, molybdenum is at a final concentration of about 0.5 µg/L, nickel is at a final concentration of about 0.1 µg/L, selenium is at a final concentration of about 34 µg/L, tin is at a final concentration of about 0.4 µg/L, vanadium is at a final concentration of about 0.03 µg/L; zinc is at a final concentration of about 26 µg/L; and iron is at a final concentration of about 5 µg/L.

12. (original) The manufactured mineral water as in claim 2 wherein calcium is at a final concentration of about 59 mg/L, magnesium is at a final concentration of about 13 mg/L, phosphorus is at a final concentration of about 30 mg/L, potassium is at a final concentration of about 120 mg/L, silicon is at a final concentration of about 0.75 mg/L, sodium is at a final concentration of about 8 mg/L and chlorine is at a final concentration of about 9 mg/L and wherein the some or all of the elements of group C and D are absent.

13. (original) The manufactured mineral water as in claim 12 wherein boron, copper, iodine, selenium, zinc and iron are present.

14. (original) The manufactured mineral water as in claim 2 wherein calcium is provided in the form of calcium hydroxide $\text{Ca}(\text{OH})_2$.

15. (original) The manufactured mineral water as in claim 2 wherein calcium is provided in the form of one or more of but not wholly of one of the group consisting of CaCl_2 (calcium chloride) CaI_2 (calcium iodine) CaSO_4 (calcium sulphate) $\text{Ca}(\text{H}_2\text{PO}_4)_2$ (monobasic calcium phosphate) and calcium hydroxide $\text{Ca}(\text{OH})_2$.

16. (original) The manufactured mineral water as in claim 2 wherein magnesium is provided in the form of $\text{Mg}(\text{OH})_2$ (magnesium hydroxide).

17. (original) The manufactured mineral water as in claim 2 wherein magnesium is provided in the form of one or more of but not wholly of one of the group consisting of MgCl_2 (magnesium chloride), $\text{Mg}(\text{H}_2\text{PO}_4)_2$ (monobasic magnesium phosphate), MgSeO_4 (magnesium selenate), MgSO_4 (magnesium sulphate) and $\text{Mg}(\text{OH})_2$ (magnesium hydroxide).
18. (original) The manufactured mineral water as in claim 2 wherein phosphorous is provided in the form of KH_2PO_4 (monobasic potassium phosphate).
19. (original) The manufactured mineral water as in claim 2 wherein phosphorous is provided in the form of one or more of but not wholly of one of the group consisting of KH_2PO_4 (monobasic potassium phosphate), NaH_2PO_4 (monobasic sodium phosphate) and K_2HPO_4 (dibasic potassium phosphate).
20. (original) The manufactured mineral water as in claim 2 wherein potassium is provided in a form selected from the group consisting of KH_2PO_4 (monobasic potassium phosphate) and KHCO_3 (potassium bicarbonate).
21. (original) The manufactured mineral water as in claim 2 wherein potassium is provided in the form of one or more of but not wholly of one of the group consisting of KH_2PO_4 (monobasic potassium phosphate), KHCO_3 (potassium bicarbonate), KCl (potassium chloride), KI (potassium iodide), $\text{K}_2\text{MoO}_4 \cdot 5\text{H}_2\text{O}$ (potassium molybdate), K_2HPO_4 (dibasic potassium phosphate), K_2SeO_4 (potassium selenate) and K_2SO_4 (potassium sulphate).
22. (original) The manufactured mineral water as in claim 2 wherein silicon is provided in the form of $\text{Na}_2\text{SiO}_3 \cdot 5\text{H}_2\text{O}$ (sodium metasilicate).
23. (original) The manufactured mineral water as in claim 2 wherein sodium is provided wholly or partially in a form selected from the group consisting of NaHCO_3 (sodium bicarbonate) $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ (sodium tetraborate), NaCl (sodium chloride), $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ (sodium

molybdate), $\text{Na}_2\text{SeO}_4 \cdot 10\text{H}_2\text{O}$ (sodium selenate), Na_2SeO_3 (sodium selenite) $\text{Na}_2\text{SiO}_3 \cdot 5\text{H}_2\text{O}$ (sodium silicate) and Na_2SO_4 and $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$ (sodium sulphate).

24. (original) The manufactured mineral water as in claim 2 wherein sodium is provided in the form of one or more of but not wholly of one of the group consisting of NaHCO_3 (sodium bicarbonate) $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ (sodium tetraborate), NaCl (sodium chloride), $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ (sodium molybdate), $\text{Na}_2\text{SeO}_4 \cdot 10\text{H}_2\text{O}$ (sodium selenate), Na_2SeO_3 (sodium selenite) $\text{Na}_2\text{SiO}_3 \cdot 5\text{H}_2\text{O}$ (sodium silicate) and Na_2SO_4 and $\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$ (sodium sulphate), $\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$ or $2\text{H}_2\text{O}$ (monobasic sodium phosphate) and $\text{Na}_2\text{HPO}_4 \cdot 7\text{H}_2\text{O}$ (dibasic sodium phosphate).

25. (original) The manufactured mineral water as in claim 2 wherein chlorine is provided wholly or partially in a form selected from the group consisting of NaCl (sodium chloride), KCl (potassium chloride), CaCl_2 (calcium chloride) and MgCl_2 (magnesium chloride).

26. (original) The manufactured mineral water as in claim 2 wherein boron is provided wholly or partially in a form selected from one of the group consisting of $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ (sodium tetraborate) but might be provided as $\text{K}_2\text{B}_4\text{O}_7 \cdot 5\text{H}_2\text{O}$ (potassium tetraborate).

27. (original) The manufactured mineral water as in claim 2 wherein chromium is provided in the form $\text{K}[\text{Cr}(\text{SO}_6\text{H}_4)_2(\text{H}_2\text{O})_2] \cdot 6\text{H}_2\text{O}$ (chromium potassium sulphate).

28. (original) The manufactured mineral water as in claim 2 wherein cobalt is provided wholly or partially in a form selected from one or more of the group consisting of $\text{CoK}_2(\text{SO}_4)_2 \cdot 6\text{H}_2\text{O}$ (cobaltous potassium sulphate) and $\text{CoSO}_4 \cdot 7\text{H}_2\text{O}$ (cobalt sulphate).

29. (original) The manufactured mineral water as in claim 2 wherein copper is provided wholly or partially in a form selected from one or more of the group consisting of $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ (cupric sulphate) and $\text{CuSeO}_4 \cdot 5\text{H}_2\text{O}$ (cupric selenate).

30. (original) The manufactured mineral water as in claim 2 wherein iodine is provided as (KI) potassium iodide.
31. (previously presented) The manufactured mineral water as in claim 2 wherein lithium is provided as $\text{Li}_2\text{SO}_4 \cdot \text{H}_2\text{O}$ (lithium sulphate)
32. (original) The manufactured mineral water as in claim 2 wherein lithium is provided wholly or partially in a form selected from one or more of the group consisting of $\text{Li}_2\text{SO}_4 \cdot \text{H}_2\text{O}$ (lithium sulphate), LiCl (lithium chloride) or $\text{Li}_2\text{SeO}_4 \cdot \text{H}_2\text{O}$ (lithium selenate).
33. (original) The manufactured mineral water as in claim 2 wherein manganese is provided wholly or partially in a form selected from one or more of the group consisting of $\text{MnSO}_4 \cdot \text{H}_2\text{O}$ (manganous sulphate) $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$ (manganous chloride).
34. (original) The manufactured mineral water as in claim 2 wherein molybdenum is provided in the form of $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ (sodium molybdate).
35. (original) The manufactured mineral water as in claim 2 wherein nickel is provided in the form of $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ (nickel sulphate).
36. (original) The manufactured mineral water as in claim 2 wherein selenium is provided wholly or partially in a form selected from one or more of the group consisting of $\text{Na}_2\text{SeO}_4 \cdot 10\text{H}_2\text{O}$ (sodium selenate), K_2SeO_4 (potassium selenate), MgSeO_4 (magnesium selenate) and Na_2SeO_3 (sodium selenite).
37. (original) The manufactured mineral water as in claim 2 wherein tin is provided in the form of Tin $\text{SnCl}_2 \cdot 2\text{H}_2\text{O}$ (stannous chloride).

38. (original) The manufactured mineral water as in claim 2 wherein vanadium is provided in the form of NH_4VO_3 (ammonium vanadate).

39. (original) The manufactured mineral water as in claim 2 wherein zinc is provided wholly or partially in a form selected from one or more of the group consisting of $\text{ZnSO}_4 \cdot \text{H}_2\text{O}$ and $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$ (zinc sulphate).

40. (original) The manufactured mineral water as in claim 2 wherein iron is provided in the form of $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ (ferrous sulphate).

41. (original) The manufactured mineral water as in claim 2 wherein the water is a still water and the pH for a still water is preferably in the range 7.2 to 7.6.

42. (original) The manufactured mineral water as in claim 2 wherein the pH has been adjusted by the addition of carbon dioxide.

43 - 46. (cancelled)

47. (original) Concentrated preparations of minerals for making the manufactured mineral water of claim 1 including concentrated preparations of group A elements and concentrated preparations of group B elements such that between 0.1 and 20% of each preparation are added to water to make up the final mineral water.

48. (original) Concentrated preparations of minerals as in claim 47 additionally including a concentrated preparation of group C elements such that between 0.1 and 20% of each preparation are added to water to make up the final mineral water.

49. - 54 cancelled

55. (original) A method of diluting a beverage, the method including the step of adding to the beverage a manufactured mineral water of claim 1 or a mineral water concentrate having the elements of the manufactured mineral water at up to five times the concentrations set out in claim 1, to the beverage, at a level to achieve an acceptable taste.

56. (original) The method of diluting a beverage as in claim 55 wherein the mineral water concentrate is added and wherein the elements are present up to 2.5 times the concentration.

57. (original) The method of diluting a beverage as in claim 55 wherein the beverage is beer.

58. (original) A method of diluting a beverage, the method including the step of preparing a concentrated preparations of the minerals for making the manufactured mineral water of claim 1, including a concentrated preparation of group A elements, a concentrated preparation of group B elements, a concentrated preparation of group C elements and a concentrated preparation of the group D element, the concentration being such that between 0.1 and 20% of each preparation may be added to water to make up the final mineral water, the method additionally including the step of adding water and the concentrated preparations in amounts so that together they make up a manufactured mineral water concentrate having the elements of the manufactured mineral water at up to five times the concentrations set out in claim 1.

59. (original) The method of diluting a beverage as in claim 58 wherein the concentrate and water is added in amounts so that together they make up a manufactured mineral water concentrate having the elements of the manufactured mineral water at up to 2.5 times the concentrations set out in claim 1.

60. (original) The method of diluting a beverage as in claim 58 wherein the beverage is selected from the group consisting of wines, spirits and liqueurs, beers, teas and juices.

61 (original) The method of diluting a beverage as in claim 59 wherein the beverage is beer.

62. (New) A manufactured mineral water with the following elemental composition present as biologically acceptable soluble salts:

group A consisting of calcium at a final concentration of between 25 and 82 mg/L and magnesium at a final concentration of between 6 and 18 mg/L,

group B consisting of phosphorus at a final concentration of between 15 and 80mg/L, potassium at a final concentration of between 50 and 180 mg/L, silicon at a final concentration of between 0.45 to 1.5 mg/L, sodium at a final concentration of between 3 and 30 mg/L, chlorine at a final concentration of between 3 and 28 mg/L

group C consisting of boron at a final concentration of between 10 and 40 µg/L, chromium at a final concentration of between 0.05 and 0.2 µg/L, cobalt at a final concentration of between 0.05 and 0.2 µg/L, copper at a final concentration of between 2 and 9 µg/L, iodine at a final concentration of between 0.4 and 2.5 µg/L, lithium at a final concentration of between 0.1 and 1.0 µg/L, manganese at a final concentration of between 0.1 and 1.0 µg/L, molybdenum at a final concentration of between 0.1 and 1.0 µg/L, nickel at a final concentration of between 0.05 and 0.2 µg/L, selenium at a final concentration of between 10 and 70 µg/L, tin at a final concentration of between 0.1 and 1.0 µg/L, vanadium at a final concentration of between 0.01 and 0.07 µg/L and zinc at a final concentration of between 10 and 70 µg/L, and

group D consisting of iron at a final concentration of between 0 and 20 µg/L.